EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		S24 and (communicat$ with interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 13:39
		S24 and (end$ with session)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 12:44
		S5 and (normaliz$3 or ((eliminat$3 or remov$ or delet$3) with duplicat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/06/01 12:49
L1	1	("20050131901").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/11/06 09:05
L2	0	1 and (carrier or signal or bearing or wave)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 09:06
L3	4209	authoriz$ and authenticat$ and (user with role)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 09:06
L4	749	L3 and (normaliz$3 or ((eliminat$3 or remov$3 or delet$3) with duplicat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 09:06
L5	250	L4 and (assign$ with user with role)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 09:06
L6	4209	authoriz$ and authenticat$ and (user with role)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 09:07
L7	749	L6 and (normaliz$3 or ((eliminat$3 or remov$3 or delet$3) with duplicat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 09:07
L8	250	L7 and (assign$ with user with role)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 09:07

L9	210	L8 and permission	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 09:07
L10	208	L9 and data$1base	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 09:07
L11	193	L10 and session	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 09:07
L12	11559	authoriz$.TI. or authenticat$.TI.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/11/06 09:07
L13	126	L12 and ((creat$3 or develop$3 or mak$3 or assign$3 or defin$3) with role with user)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/11/06 09:07
L14	32	L13 and histor$	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/11/06 09:07
L15	102	L12 and ((creat$3 or develop$3 or mak$3 or assign$3) with role with user)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/11/06 09:07
L16	1	(US-7086085-$).did.	USPAT	OR	OFF	2008/11/06 09:07
L17	1	L16 and (assign$3 with role)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 09:07
L18	4209	authoriz$ and authenticat$ and (user with role)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 09:07
L19	170	L3 and normaliz$3 and ((eliminat$3 or remov$3 or delet$3) with (duplicat$3 or redundanc$))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/06 09:07
S1	1	"20050131901"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/16 17:22
S2	1	("20050131901").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/16 17:23

S3	1	S1 and normaliz$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/16 17:23
S4	1	S1 and normaliz$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 17:30
S5	2229	authoriz$ and authenticat$ and (user with role)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 17:32
S6	442	S5 and (normaliz$3 or ((eliminat$3 or remov$3 or delet$3) with duplicat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 17:33
S7	172	S6 and (assign$ with user with role)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 17:36
S8	151	S7 and permission	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 17:36
S9	170	S7 and data$1base	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 17:37
S10	150	S8 and data$1base	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 17:37
S11	146	S10 and session	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 17:37
S12	2229	authoriz$ and authenticat$ and (user with role)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 08:26
S13	442	S12 and (normaliz$3 or ((eliminat$3 or remov$3 or delet$3) with duplicat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 08:41
S14	172	S13 and (assign$ with user with role)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 08:26
S15	151	S14 and permission	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 08:26

S16	150	S15 and data$1base	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 08:26
S17	146	S16 and session	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 08:27
S18	133	S17 and (manager or administrator) and sql	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 08:28
S19	128	S12 and normaliz$3 and ((eliminat$3 or remov$3 or delet$3) with (duplicat$3 or redundanc$))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 08:42
S20	128	S12 and normaliz$3 and ((eliminat$3 or remov$3 or delet$3) with (duplicat$3 or redundanc$))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 10:30
S21	45	("6182142").URPN.	USPAT	OR	OFF	2006/05/17 08:52
S22	2	S21 and normaliz$	USPAT	OR	OFF	2006/05/17 08:52
S23	2	S21 and normaliz$	USPAT	OR	ON	2006/05/17 08:52
S24	1	("6182142").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/17 10:31
S25	1025	"1" and analiz$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 10:31
S26	0	S24 and analiz$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 10:31
S27	0	S24 and analyz$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 11:09
S28	1	S24 and normaliz$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 12:34
S29	1	S24 and (assign$ with role)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 12:36

S30	1	S24 and (assign$ with role with user)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 12:43
S31	1	S24 and (end$3 with session)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 13:20
S32	1	S24 and sql	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 13:39
S33	1	S24 and (communicat$3 with interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 15:15
S34	1	richter-john-d.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 15:16
S35	1	(US-6453353-$).did.	USPAT	OR	OFF	2006/11/14 12:23
S36	0	S35 and analyz$4	USPAT	OR	ON	2006/11/14 12:24
S37	1	"20050131901"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/14 12:24
S38	0	S37 and analyz$4	USPAT	OR	ON	2006/11/14 12:25
S39	1	S37 and analyz$4	US-PGPUB; USPAT	OR	ON	2006/11/14 13:08
S40	1	S37 and (elimin$ with redundanc$)	US-PGPUB; USPAT	OR	ON	2006/11/14 13:09
S41	1	("20050131901").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/02/09 18:41
S42	0	("1and(perform$3withprocess $3)").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/02/09 18:42
S43	1	S41 and (perform$3 with process$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/02/09 18:42
S44	0	S41 and (perform$3 with statement)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/02/09 18:42

S45	0	S41 and (access$3 with statement)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/02/09 18:43
S46	1	S41 and (access$3 with statement)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/09 18:43
S47	1	("6182142").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/03/07 12:12
S48	1	("20050131901").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/06/01 12:50
S49	1	S48 and previous$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/06/01 12:52
S50	1	S48 and (previous$3 or before)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/06/01 14:07
S51	5	(US-20030182463-$ or US-20030069818-$ or US-20050102358-$).did. or (US-6453353-$ or US-6523027-$).did.	US-PGPUB; USPAT	OR	OFF	2007/06/01 14:31
S52	0	S51 and (previus$4 with access$3)	US-PGPUB; USPAT	OR	ON	2007/06/01 12:59
S53	2	S51 and ((previus$4 or before) with access$3)	US-PGPUB; USPAT	OR	ON	2007/06/01 14:20
S54	1	S48 and execution	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/06/01 14:07
S55	0	S52 and histor$5	US-PGPUB; USPAT	OR	ON	2007/06/01 14:21
S56	8871	authoriz$.TI. or authenticat$.TI.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/06/01 14:34
S57	64	S56 and ((creat$3 or develop$3 or mak$3 or assign$3) with role with user)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/06/01 15:08
S58	64	S56 and ((creat$3 or develop$3 or mak$3 or assign$3) with role with user)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/01 14:36

S59	77	S56 and ((creat$3 or develop$3 or mak$3 or assign$3 or defin$3) with role with user)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/01 14:37
S60	18	S59 and histor$	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/01 14:37
S61	7	S59 and (histor$ with access$)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/01 15:07
S62	11	S60 not S61	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/01 14:51
S63	1218	(histor$ with (authoriz$ or authenticat$ or verif$) with user)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/01 15:55
S64	53	S63 and ((creat$3 or develop$3 or mak$3 or assign$3) with role with user)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/01 15:55
S65	24	S64 and ((previous$ or before) with access$)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/01 15:55
S66	1	(US-7134137-$).did.	USPAT	OR	OFF	2007/06/01 15:44
S67	1	S66 and sql	USPAT	OR	OFF	2007/06/01 15:44
S68	0	S66 and normaliz$	USPAT	OR	ON	2007/06/01 15:45
S69	0	S66 and redundanc$	USPAT	OR	ON	2007/06/01 15:45
S70	1	S66 and redundan$	USPAT	OR	ON	2007/06/01 15:45
S71	0	("20020091798a1").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/06/01 15:54
S72	1	("20020091798").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/06/01 15:54
S73	1	S72 and (histor$ with (authoriz$ or authenticat$ or verif$) with user)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/01 15:55

S74	1	S73 and ((creat$3 or develop$3 or mak$3 or assign$3) with role with user)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/01 15:55
S75	1	S74 and ((previous$ or before) with access$)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/01 18:34
S76	7	(normaliz$ with access$ with statement)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/01 16:26
S77	1	S76 and redundanc$	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/01 16:04
S78	5	S76 and (authoriz$ or authenticat$ or verif$ or validat$)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/01 16:29
S79	1	S76 and ((delet$3 or eliminat$ or eras$) with (redundan$ or repeated or repetition or duplicat$))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/01 16:25
S80	239	(normaliz$ with (statement or quer$3 or entry or entries)) and ((delet$3 or eliminat$ or eras$) with (redundan$ or repeated or repetition or duplicat$))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/01 16:27
S81	91	(normaliz$ with (statement or quer$3 or entry or entries)) same ((delet$3 or eliminat$ or eras$) with (redundan$ or repeated or repetition or duplicat$))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/01 16:28
S82	12	(normaliz$ with (statement or quer$3 or entry or entries)) same ((delet$3 or eliminat$ or eras$) with (redundan$ or repeated or repetition or duplicat$) with (statement or quer$3 or entry or entries))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/01 16:28
S83	5	S82 and (authoriz$ or authenticat$ or verif$ or validat$)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/01 16:30
S84	1	(US-7134137-$).did.	USPAT	OR	OFF	2007/11/15 12:11
S85	1	S84 and role	USPAT	OR	ON	2007/11/15 12:17

S86	1	S84 and ((defin$3 or determin$3 or creat$3 or assign$3) with role)	USPAT	OR	ON	2007/11/15 12:17
S87	1	("20020091798").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/11/15 12:17
S88	0	S87 and ((defin$3 or determin$3 or creat$3 or assign$3) with role)	USPAT	OR	ON	2007/11/15 12:17
S89	0	S87 and role	USPAT	OR	ON	2007/11/15 12:17
S90	1	S87 and ((defin$3 or determin$3 or creat$3 or assign$3) with role)	US-PGPUB; USPAT	OR	ON	2007/11/15 12:27
S91	1	(US-6453353-$).did.	USPAT	OR	OFF	2007/11/15 12:27
S92	1	S91 and ((defin$3 or determin$3 or creat$3 or assign$3) with role)	US-PGPUB; USPAT	OR	ON	2007/11/15 12:27
S93	108	("6182142").URPN.	USPAT	OR	OFF	2007/11/15 13:00
S94	6	S93 and normaliz$	USPAT	OR	OFF	2007/11/15 13:00
S95	108	("6182142").URPN.	USPAT	OR	OFF	2007/11/15 13:00
S96	1	("6182142").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/11/15 13:00
S97	1	S96 and (assign$ with role with user)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/11/15 13:00
S98	9901	authoriz$.TI. or authenticat$.TI.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/11/15 13:00
S99	97	S98 and ((creat$3 or develop$3 or mak$3 or assign$3 or defin$3) with role with user)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/11/15 13:00
S100	9	S99 and (histor$ with access$)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/11/15 13:00
S101	1	("20050131901").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/03/05 12:41

S102	1	S101 and (accessed with item)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/05 12:41
S103	1	S101 and normaliz$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/05 12:43
S104	1	("20050131901").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/01 19:37
S105	1	S104 and previous$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/01 19:38
S106	1	S104 and (develop$3 with role)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/01 19:38
S107	63	((develop$3 or creat$3 or grant$3) near2 role) with (previous$3 or past)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/01 20:17
S108	50	S107 and @ad< "20031215"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/01 20:18
S109	13	((develop$3 or creat$3 or grant$3) near2 role) with (previous$3 or past) with (access$3 or operation or event or history or application)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/01 20:25
S110	10	S109 and @ad< "20031215"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/01 20:25
S111	1	("6370476").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/02 11:46
S112	1	("5647058").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/02 11:46
S113	1	("20050131901").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/04 16:28

S114	1	S113 and (machine $1readable with medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/04 16:29
S115	0	S113 and (signal or carrier or wave)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/04 16:31
S116	1	("20050021383").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/04 17:43
S117	1	("20050131901").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/04 17:58
S118	1	S117 and (develop$3 near2 role)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/04 17:58
S119	0	S116 and permission	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/04 18:22
S120	1	S116 and session	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/04 18:35
S121	0	S117 and (establish43 with session)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/04 19:56
S122	1	S117 and (establish$3 with session)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/04 19:56
S123	4	((develop$3 or grant$3 or assign$3) near3 role) with (application near3 (use or usage)) with user	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/04 20:00
S124	49	((develop$3 or grant$3 or assign$3) near3 role) with user with session	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/04 20:05
S125	16	S124 and @ad< "20031215"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/04 20:06
S126	0	S125 and (((develop$3 or grant$3 or assign$3) near3 role) with user with session with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/04 20:07

S127	5	S125 and (session with (disabl$3 or end$3 or finish$3 or terminat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/04 20:10
S128	11	S125 not S127	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/04 20:20
S129	1	(US-7086085-$).did.	USPAT	OR	OFF	2008/05/04 20:33
S130	1	S129 and (assign$3 with role)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/04 20:34
S131	1	S129 and (role)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/04 20:34
S132	1	("6370476").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/04 20:43
S133	1	("5647058").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/04 20:46
S134	1	("20050131901").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/10/30 16:28
S135	0	S134 and (machine$1readble near1 medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/10/30 16:29
S136	0	S134 and (machine$1readble near1 medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/30 16:29
S137	1	S134 and (machine $1readable)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/30 16:29

11/6/2008 9:25:10 AM
C:\ Documents and Settings\ gcolan\ My Documents\ EAST\ Workspaces\ case10736001.wsp